


WBC Histogram Results
CDS Hematology Diluent and CDS-3 PD Lysing Reagent
with 2-hydroxycetyltrimethyl-2-hydroxyethylammonium chloride

FIG. 1

WBC

VOLUME




DF 1

CDS-5 PD Reagent Set
D.C. Volume vs. Light Scatter

FIG. 2A

WBC

VOLUME



DF 3

CDS-5 PD Reagent Set
D.C. Volume vs. Opacity

FIG. 2B

WBC

VOLUME




DF 1

COULTER Scatterpak Reagent
D.C. Volume vs. Light Scatter

FIG. 3A

WBC


VOLUME



DF 3


COULTER Scatterpak Reagent
D.C. Volume vs. Opacity

FIG. 3B




1-Butanesulfonic acid, sodium Lyse
D.C. Volume vs. Light Scatter

FIG. 4A




1-Butanesulfonic acid, sodium Lyse
D.C. Volume vs. Opacity

FIG. 4B



Glutaric acid + Hydrochloric acid Lyse
D.C. Volume vs. Light Scatter

FIG. 5A



Glutaric acid + Hydrochloric acid Lyse
D.C. Volume vs. Opacity

FIG. 5B

FIG. 6
CDS Diluent + CDS 3-Part Diff Lyse




FIG. 7




FIG. 8
CDS Diluent + Beekman Coulter 3-Part Diff Lyse

